

Cataplex® E₂

Provides Powerful Antioxidant Protection to Enhance Immunity and Cellular Health

Large bodies of animal and human research strongly suggest the need to increase antioxidants in our daily diet. Vitamin E and selenium are powerful antioxidants that support tissues throughout the body and, together, help the health of several organs like the heart, lungs, and liver. Some vitamins provide greater benefit for the body when they partner with other vitamins and minerals. Vitamin E is one such vitamin that works synergistically with selenium, a trace mineral. While each substance is fully capable of neutralizing harmful free radicals on its own, research strongly suggests that their combined efforts yield even greater health benefits. Both vitamin E and selenium share the primary responsibility of preventing lipid oxidation. Together, they also enhance immune function by reducing free radicals and by assisting in antibody production. Selenium intensifies vitamin E absorption, thereby increasing their combined influence on maintaining cellular health.†

How Cataplex E₂ Keeps You Healthy

Provides strong antioxidant defense

The free radicals generated by the body in response to exposure to various stresses are important to the immune arsenal. However, when free radicals are generated in excess, they can cause severe damage to normal tissues and healthy cells. Antioxidants are substances that neutralize free radicals by attaching to their free electrons. By inhibiting excessive free-radical proliferation, antioxidants like selenium and vitamin E help detoxify and protect the body from free-radical damage.†

Maintains cellular health

Vitamin E promotes healthy cellular membranes by helping to prevent oxidation of their protective coating. Selenium, in addition to its primary role as a strong antioxidant, seems to play an additional role in boosting DNA repair mechanisms, while at the same time, slowing down the rate of cell mitosis.†

Enhances immune function

The chain of events caused by unchecked free-radical generation leads to miscoding of genetic information. Even a small change in protein structure within the cells can cause the immune system to identify those cells as foreign objects and attack them in an attempt to destroy these mutated structures. This breakdown in cellular communication weakens the immune system. Selenium and vitamin E work together to control free-radical damage and help protect the immune system.†

Please copy for your patients.



Introduced in 1949

Content:

90 tablets
360 tablets

Suggested Use: Two tablets per meal, or as directed.

Supplement Facts:

	Amount per Serving	%DV
Serving Size: 2 tablets		
Servings per Container: 45 or 180		
Calories	3	
Vitamin E	4 IU	15%
Selenium	9 mcg	10%

Proprietary Blend: 477 mg

Bovine orchic extract, calcium lactate, *Tillandsia usneoides*, bovine spleen, ovine spleen, inositol, bovine adrenal Cytosol™ extract, oat flour, and ascorbic acid.

Other Ingredients: Honey, arabic gum, selenium yeast, mixed tocopherols (soy), and calcium stearate.

Sold through health care professionals.

Whole Food Philosophy

Our founder, Dr. Royal Lee, challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature—in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists—known and unknown—bioactivity is markedly enhanced over isolated nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to an isolated or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.



800-558-8740 | standardprocess.com

Cataplex[®] E₂

What Makes Cataplex E₂ Unique

Product Attributes

Vitamin E₂ is a specific fraction of the vitamin E complex

- › A natural phospholipid concentrate only found associated with the chromatin in animal tissue[†]

Multiple nutrients from a variety of plant and animal sources

- › Extracts from bovine tissues provide nutrients and support to the corresponding tissues in humans
- › Vitamins, minerals, and nutrients from plants and animal tissues work synergistically for maximum effect[†]

Manufacturing and Quality-Control Processes

Low-temperature, high-vacuum drying technique

- › Preserves the enzymatic vitality and nutritional potential of ingredients

Not disassociated into isolated components

- › The nutrients in Cataplex E₂ are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories continually conduct bacterial and analytical tests on raw materials, product batches, and finished products

- › Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

- › Assures high-quality essential nutrients are delivered

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the supplement facts for Cataplex[®] E₂.

Anderson L.E. 1998. *Mosby's Medical, Nursing, & Allied Health Dictionary*, 5th ed. St. Louis, MO: Mosby; 1469, 1717.

Balch J.F., Balch P.A. 1997. *Prescription for Nutritional Healing*, 2nd ed. Garden City Park, NY: Avery Publishing Group; 19-20, 28, 43-46.

Barceloux D.G. 1999. Selenium. *Journal of Toxicology Clinical Toxicology* 37(2): 145-172.

Beckett G.J., et al. 1993. Effects of combined iodine and selenium deficiency on thyroid hormone metabolism in rats. *American Journal of Clinical Nutrition* 57(2 Suppl): 240S-243S.

Behl C. 1999. Vitamin E and other antioxidants in neuroprotection. *International Journal of Vitamin and Nutrition Research* 69(3): 213-219.

Berger M.M., et al. 1996. Copper, selenium, and zinc status and balances after major trauma. *Journal of Trauma* 40(1): 103-109.

Berger M.M., et al. 1998. Trace element supplementation modulates pulmonary infection rates after major burns: a double-blind, placebo-controlled trial. *American Journal of Clinical Nutrition* 68(2): 365-371.

Burk R.F. 1994. *Selenium in Biology and Human Health*. Berlin, Germany: Springer-Verlag; 3-7, 47, 81-82, 95-96, 104-105, 106-109, 153-154, 171-173, 183-285, 213-215.

Burkitt D.P., Temple N.J., eds. 1994. *Western Diseases, Their Dietary Prevention and Reversibility*. Totowa, NJ: Humana Press; 96-97, 199-200, 210-211, 215-218, 224-227.

Card J.W., et al. 1999. Effects of dietary vitamin E supplementation on pulmonary morphology and collagen deposition in amiodarone- and vehicle-treated hamsters. *Toxicology* 133(2-3): 75-84.

Chan A.C. 1993. Partners in defense, vitamin E and vitamin C. *Can J Physiol Pharmacol* 71: 725-731.

Clark L.C. 1985. The epidemiology of selenium and cancer. *Fed Proc* 44(9): 2584-2589.

Clark L.C., et al. 1998. Decreased incidence of prostate cancer with selenium supplementation: results of a double-blind cancer prevention trial. *British Journal of Urology* 81(5): 730-734.

Combs G.F., et al. Reduction of cancer mortality and incidence by selenium supplementation. *Med Clin* 92(Suppl 3): 42-45.

Combs G.F., Gray W.P. 1998. Chemopreventive agents: selenium. *Pharmacological Therapy* 79(3): 179-192.

Droost I.E., ed. 1991. *Trace Elements, Micronutrients, and Free Radicals*. Totowa, NJ: Humana Press; 185-186.

Fleshner N.E., Klotz L.H. 1998-1999. Diet, androgens, oxidative stress and prostate cancer susceptibility. *Cancer Metastasis Review* 17(4): 325-330.

Holben, D.H., and Smith, A.M. The diverse role of selenium within selenoproteins: a review. *Journal of the American Dietetic Association*. 1999. Jul; 99(7): 836-43

Ilback N.G., et al. 1998. Effects of selenium supplementation on virus-induced inflammatory heart disease. *Biological Trace Element Research* 63(1): 51-66.

Ip C. 1998. Lessons from basic research in selenium and cancer prevention. *Journal of Nutrition* 128(11): 1845-1854.

Ip C., et al. 1996. Selenium-enriched garlic inhibits the early stage but not the late stage of mammary carcinogenesis. *Carcinogenesis* 17(9): 1979-1982.

Kauf E., et al. 1997. *Med Clin* 92(Suppl 3): 31-34.

Keller K.L. 1998. Uses of vitamins A, C, and E and related compounds. *J Am Acad Derm* 39: 611-625.

Knekt P. 1993. Vitamin E and smoking and the risk of lung cancer. *Ann NY Acad Sci* 280: 287.

Kohrle J. 1999. The trace element selenium and the thyroid gland. *Biochimie* 81(5): 527-533.

Kralik A., et al. 1996. Influence of zinc and selenium deficiency on parameters relating to thyroid hormone metabolism. *Hormone Metabolism Research* 28(5): 223-226.

Kucera M., et al. 1998. Significance of free radicals in the pathogenesis of rheumatic diseases and possibilities of decreasing their pathogenic effects. *Vnitř Lek* 44(12): 702-706.

Kwicak J. 1999. Selenium and the organism. *Cas Lek Cesk* 138(4): 99-106.

Larsen P.R., Berry M.J. 1995. Nutritional and hormonal regulation of thyroid hormone deiodinases. *Annual Review of Nutrition* 15: 323-352.

Lee B.M., et al. 1998. Inhibition of oxidative DNA damage, 8-OHdG, and carbonyl contents in smokers treated with antioxidants vitamin E, vitamin C, beta-carotene and red ginseng. *Cancer Letters* 132(1-2): 219-227.

Lee I.M. 1999. Antioxidant vitamins in the prevention of cancer. *Proc Assoc Am Physicians* 111(1): 10-15.

Milner J.A. 1985. Effect of selenium on virally induced and transplantable tumor models. *Fed Proc* 44(9): 2568-2572.

Misnero R., et al. 1998. Effects of the combined deficiency of selenium and iodine on thyroid function. *Ann Ist Super Sanita* 34(3): 349-355.

Morrissey P.A., Sheehy P.J. 1999. Optimal nutrition: vitamin E. *Proc Nutr Soc* 58(2): 459-468.

Nelson M.A., et al. 1999. Selenium and prostate cancer prevention. *Semin Urol Oncol* 17(2): 91-96.

Niki E. 1997. Lipid antioxidants: How they may act in biological systems. *Br Cancer* 55(Suppl 8): 153-157.

Oldereld N.B., et al. 1998. Selenium in human male reproductive organs. *Human Reproduction* 13(8): 2172-2176.

Packer L., Landvik S. 1989. Vitamin E: Introduction to biochemistry and health benefits. *Ann NY Acad Sci* 1-6.

Packer L., Landvik S. 1990. *Vitamin E in Biological Systems Adv Exp Med Biol*. New York, NY: Plenum Press; 93-104.

Pitchford P. 1993. *Healing with Whole Foods*. Revised ed. Berkeley, CA: North Atlantic Books; 44-45, 122, 357, 363, 490.

Prasad K.N., Cole W.C., eds. 1998. *Cancer and Nutrition*. Washington, DC: IOS Press; 10-15, 71-89, 176, 213-218, 232.

Roh E., et al. 1993. Selenium administration does not cause thyroid insufficiency in subjects with mild iodine deficiency and sufficient selenium intake. *Journal of Endocrinology Investigation* 16(7): 481-484.

Schmuck A., et al. 1996. Antioxidant vitamins in hospitalized elderly patients. *Eur J of Clinical Nutrition* 50: 473-478.

Shi B., Spallholz J.E. 1994. Selenium from beef is highly bioavailable as assessed by liver glutathione peroxidase (G1:11) activity and tissue selenium. *British Journal of Nutrition* 72(6): 873-881.

Sies H. 1992. Antioxidant Functions of Vitamins. *Ann NY Acad Med* 7-20.

Spencer A.P., et al. 1999. Vitamin E and coronary artery disease. *Archives of Internal Medicine* 159(12): 1313-1320.

Thompson I.M., et al. 1997. Chemoprevention of prostate cancer: the Prostate Cancer Prevention Trial. *Prostate* 33(3): 227-221.

Thompson L.J. 1994. Antioxidants and hormone-mediated health benefits of whole grains. *Crit Rev Food Sci Nutr* 34(5-6): 473-497.

Trace Elements in Human Nutrition and Health. 1996. Geneva, Switzerland: World Health Organization; 105-120.

Upston J. 1999. Tocopherol-mediated peroxidation of lipoproteins: implications for vitamin E as a potential antiatherogenic supplement. *AFASEB* 13: 977-993.

Venditti P., et al. 1999. Protection against ischemia-reperfusion induced oxidative stress by vitamin E treatment. *Archives of Physiological Biochemistry* 107(1): 27-34.

Walter P., ed. 1995. *The Scientific Basis for Vitamin Intake in Human Nutrition. Cardiovascular Disease and Vitamins*. *Diät Nahrung* 52: 75-91.

Wendel A., ed. 1988. *Selenium in Biology and Medicine*. Berlin, Germany: Springer-Verlag; 142-149, 205-208, 210-212, 214-217, 297-303, 305-310, 313-316, 317-322.

Wilber C.G. 1983. Selenium, *A Potential Environmental Poison and a Necessary Food Constituent*. Springfield, IL: Charles C. Thomas Publisher; 63-76.

Willett W. 1998. *Nutritional Epidemiology*, 2nd ed. New York, NY: Oxford University Press; Inc; 24-25, 184-188, 195-197, 206-207, 448-449, 451.

Wohli M.G., Goodhart R.S., eds. 1968. *Modern Nutrition in Health and Disease*. 4th ed. Philadelphia, PA: Lea & Febiger; 238-245, 395-397, 475.

Yoshizawa K., et al. 1998. Study of prediagnostic selenium level in blood and the risk of advanced prostate cancer. *Journal of the National Cancer Institute* 90(16): 1219-1224.

Young K.J., Lee P.N. 1999. Intervention studies on cancer. *Eur J Cancer Prev* 8: 91-103.

